DRAMAMINE- dimenhydrinate tablet, chewable Lil' Drug Store Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dramamine ®

Drug Facts

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not use for children under 2 years of age unless directed by a doctor

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity
- to prevent or treat motion sickness, see below:

adults and children 12 years and over	 take 1 to 2 chewable tablets every 4-6 hours do not take more than 8 chewable tablets in 24 hours, or as directed by a doctor 	
children 6 to under 12 years	 give ½ to 1 chewable tablet every 6-8 hours do not give more than 3 chewable tablets in 24 hours, or as directed by a doctor 	
children 2 to under 6 years	 give ½ chewable tablet every 6-8 hours do not give more than 1-½ chewable tablets in 24 hours, or as directed by a doctor 	

Other information

- **Phenylketonurics:** contains phenylalanine 0.84 mg per tablet
- store at room temperature 68°-77°F (20°-25°C)
- do not use if packet is torn
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, aspartame, FD&C yellow 6 aluminum lake, flavors, magnesium stearate, maltodextrin, methacrylic acid copolymer, modified starch, sorbitol

Questions?

1-800-382-7219

Repackaged and distributed by:

Lil' Drug Store Products, Inc., 1201 Continental Place NE, Cedar Rapids, IA 52402

PRINCIPAL DISPLAY PANEL - 50 mg Tablet Pouch Carton

#1

Pharmacist

Recommended Brand

Dimenhydrinate Tablets/Antiemetic

Dramamine ®

motion sickness

CHEWABLE Dual Action:

Prevents & Relieves Nausea,

Dizziness and Vomiting

2

Orange Flavored

Tablets (50 mg each)

Lil'

Drug Store ®



DRAMAMINE

dimenhydrinate tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9809
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength Strength

DIMENHYDRINATE (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM) DIMENHYDRINATE

50 mg

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
ASPARTAME (UNII: Z0H242BBR1)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
ALUMINUM OXIDE (UNII: LMI26O6933)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)		
STARCH, CORN (UNII: O8232NY3SJ)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics			
Color	orange	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor	ORANGE	Imprint Code	DRA
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715- 9809-1	1 in 1 CARTON	08/26/2016	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	05/10/2010	

Labeler - Lil' Drug Store Products, Inc. (093103646)